

Housekeeping



Please note we will be taking **photos**throughout the day for use in the
NESO newsletter – please let a
member of the NESO team know if
you don't want to be captured





Q&A via Slido



Please post any questions you have for our speakers on Slido - **#BPJUNE25** - ensuring to list both your <u>full name and organisation</u>; this will enable us to follow up with you after the event where necessary.



All questions posted in Slido will be published online with answers after the event; this will include any questions we are unable to answer in the session due to time constraints or the need for further information.



Out of scope questions will be forwarded on to the appropriate NESO team or expert for a direct response. We may ask you to contact us by email to ensure we have the correct contact details for the response.



Using Slido, you can also suggest topics for future Balancing Programme engagement events & webinars.



Slido will close at the end of the event; if you have any further questions, please get in contact with us at box.balancingprogramme@neso.energy



Please scan this QR code to participate on Slido or search for Slido online and enter #BPJUNE25



#BPJUNE25

Welcome & Agenda

Time	Agenda Item	Details
9:00 - 9:30	Registration (refreshments will be provided)	
9:30 - 9:45	Balancing Programme Overview	Balancing Programme system transformation overview & value delivered
9:45 - 10:25	Balancing Systems Update	 Delivery progress since March 2025 & associated benefits 25/26 & 26/27 Open Balancing Platform (OBP) roadmap Real-Time Predictor on the OBP OBP digital enablers – Update on the EDL/EDT transition to OBP & NBM activity
10:25 - 10:40	Forecasting Systems Update	 Delivery progress since March 2025 & associated benefits 25/26 Platform for Energy Forecasting Roadmap
10:40 - 10:55	Break (refreshments will be provided)– 10:55 move to breakout rooms for 11:00 start	
11.00 – 11:45	Breakout Session	Participants will rotate across the 3 sessions - you will be allocated a session order on arrival Improving the management of constraints with OBP inc. Constraint Pathfinders & optimisation Innovation projects & the Reveal trials platform OBP demo
11:50 - 12:35	Breakout Session 1, 2, or 3	
12:35 - 13.15	Lunch (provided) – 13:15 move to breakout rooms for 13:20 start	
13.20 - 14.05	Breakout Session 1, 2, or 3	
14:10 - 14:55	A Day in the Life of a Control Room Engineer	 Managing the electricity system following the loss of several large generators; session will detail system planning, the role of response & reserve services, and the use of tools inc. OBP in securing the system
14:55 - 15:10	Break (refreshments will be provided)	
15:10 - 15:40	Market Services Update	• Update on market products being enabled in OBP for BM & Non-BM units inc. timeline & benefits
15:40 - 15:55	Beyond 2025 Roadmap	 Update on progress to define balancing and forecasting deliverables beyond 2025
15:55 - 16:25	Q&A	Ask your questions to our panel of SMEs; Slido will remain open throughout the day
16:25 - 16:30	Next Steps & Closing Remarks	Future engagement opportunities
16:30 - 17:30	Networking event	



System Transformation - Why do we need to Transform?

How are we

delivering this

transformation?

1. Manage increased number of market participants

2. Quickly **adapt** to new requirements, innovation and services

3. Enable **level playing field** for new flexibility services

4. Optimise balancing cost

Current System Changes: Delivering changes and improvements to our current balancing systems, responding to identified need, ahead of OBP being fully implemented in 2027.



Development of New Systems: Developing and delivering two new platforms for balancing and forecasting which are reliable, resilient and secure, and modernise Control Room operations.



Process Improvement: Reviewing current processes to understand what changes and information are required to enhance operation in line with our objectives.



Trials & Innovation Projects: Collaborating on trials & innovation projects to build an understanding of requirements for future balancing capabilities through lessons learned.



Enabling Market reform: Through our system changes and development we enable market reform in response to evolving requirements & need.



#BPJUNE25

System Transformation – Where are we?

Previous landscape March 2026 **June 2025** March 2027 **System System System System Energy Forecasting EFS** PEF PEF System (EFS) Platform for **Electricity Balancing Energy Forecasting (PEF)** BM System (EBS) **Fully Resilient OBP** 15% of SORT functionality ВМ 60% of SPICE functionality Scheduling Modern, resilient, adaptable **Balancing Mechanism (BM)** National Optimisation and scalable system fit for • Electronic Dispatch & the future Logging (EDL) / Electronic Data **Fully Resilient OBP** SPICE (scheduling) Transfer (EDT) No differentiation between • SORT (dispatch) BM and non-BM units 85% of SORT functionality **Open Balancing Platform** Vergil (dispatch) 40% of SPICE functionality (OBP Lite) Improved situational Demand Predictor awareness Including: Bulk dispatch Constraint Optimisation Clogs (back-up system) • Interface to Single More economic dispatch National Optimisation Markets Platform, Integrated EDL/EDT Mastering Energy Management System, & Lower consumer costs • BM & Non-BM response Data Analytics Platform (DAP) & reserve services Balancing Reserve Reduced CO2 emissions • PEF & NCMS integration • BM Ouick Reserve **Ancillary Services** Network Services Manual instructions Significantly reduced Dispatch Platform (ASDP) • Enhanced Response & Inertia Constraint management system & market downtime Non-BM Response New storage parameters & Reserve services • Real Time Predictions **ASDP -** Non-BM Response & MW dispatch Reserve services / MW dispatch



Value Delivered by the Programme



Market Participation and Technology Flexibility

Delivered automated instruction creation and send allowing use of smaller flexible assets:

- 36% increase in the number of small BMUs and battery units receiving BM instructions since Oct-Dec 2023.
- 425% increase in battery dispatch volume since OBP R1.
- 31% increase in small BMU dispatch volume since OBP R1.
- 1347% increase in dispatch instructions to batteries.
- 72% increase in dispatch instructions to small BMUs.



Adaptation, Innovation, and Services

- 2000+ OBP updates delivered with minimal downtime.
- Implemented several additional deliverables aimed at improving economic dispatch & transparency.
- Implemented several Control Room improvements inc. bulk dispatch and enhancements to the management of constraints in OBP.
- Facilitated service implementation:
 - o Balancing Reserve
 - o BM Quick Reserve
 - MW Dispatch
- Implemented a new wind model on the Platform for Energy Forecasting (PEF).



Reduction in CO2 Emissions & Consumer Value

- Carbon intensity decreased from 172 gCO2/kWh (FY21) to 125 gCO2/kWh (FY25), saving 47 gCO2/kWh.
- 2.5% can be attributed to the Balancing Programme providing an estimated carbon saving of £46m in BP2.
- >£600m of consumer savings through improvements in forecasting, dispatch and implementation of market services

You Said, We Did ...

Activity was needed to address partial dispatch issues in the small BMU zone



We continue to make improvements to the Bulk Dispatch Optimiser (BDO) to address partial dispatch. You can learn more about these improvements in this <u>recording</u> from our recent Optimisation Stakeholder Focus Group; slides are accessible <u>here</u>.

You asked for transparency around the benefit & impact of the Programme's delivery



We continue to present utilisation statistics for batteries and small BMUs & have expanded our benefit metric reporting to evidence how the programme is contributing to a reduction in CO2 emissions & adapting to new requirements, innovation, & services.

Input into shaping the Programme's future delivery & prioritisation process



We engaged with you via our Stakeholder Focus Groups and Beyond 2025 workstream to generate insights that will guide the development of the NESO Forecasting Strategy and our beyond 2025 roadmap – we will provide an update on progress today.

Improved transparency on how the optimiser in OBP works & further information on National Dispatch Optimisation (NDO)



Our recent Optimisation Stakeholder Focus Group discussed National Dispatch in OBP, its integration into Control Room Processes, and provided insights into the BDOs decisionmaking – watch the session <u>here</u>.


More info on EDL/EDT transition, Constraint deliverables & Control Room Operations



Our Technology Stakeholder Focus Group provided details on EDL/EDT testing requirements and cutover plans – watch <u>here</u>; a <u>guidance note</u> on the transition has also been shared. Today's event includes further updates on Constraint deliverables, and a session on 'A day in the life of Control Room Engineer' – back by popular demand!

#BPJUNE25 Public **Balancing Systems** Update Bernie Dolan, Principal Product Manager Sumit Gumber, Product Manager Nisha Bhamidimarri, Senior Delivery Manager

Open Balancing Platform (OBP) Key Delivery to Date



Key Areas of Progress Since March 2025

Open Balancing Platform:

External interfaces for NBM Quick Reserve




Deliverable: Application Programming Interfaces (APIs) running over a new highly secure internet gateway. Allows participants to submit data and receive instructions

Benefit: Supports Phase 2 of Quick Reserve

What does this mean for you?: New market opportunities for providers

Open Balancing Platform:

Manual Instructions





Benefit: Allows functionality from legacy systems to be moved to OBP

What does this mean for you?: Allowing all instructions to be issued from OBP increases situational awareness supporting economic decisions.

Open Balancing Platform:

Constraint Management



Deliverable: New OBP displays supporting the visualisation of constraints combined with a price stack so that instructions can be planned and then sent to resolve future issues

Benefit: Better constraint management

What does this mean for you? Supports improved economic dispatch

New IT system:

• Real Time Prediction (RTP) Minimum Viable Product

Deliverable: New near real-time demand predictions using advanced machine learning algorithms




Benefit: More accurate demand profiles feeding the new National Dispatch Optimiser

What does this mean for you? More accurate balancing actions resulting in lower balancing costs

Battery Utilisation Statistics

Absolute Volume (MWh) and Instruction Count by Date






Comparing 3 months before OBP went live to the latest period - 01 January to 31 March 2025, we observe the average daily volume (MWh) of Batteries in the BM has increased from 632MWh to 4545MWh (618% increase). The average number of daily instructions has increased from 202 to 3675 (1,709% increase).



Small BMU Utilisation Statistics

Absolute Volume (MWh) and Instruction Count by Date

OBP or Non-OBP Energy/System ● Non-OBP Energy Tagged ● Non-OBP System Tagged ● OBP ● OBP Instructions ● Total Instructions



Comparing 3 months before OBP went live to the latest period - 01 January to 31 March 2025, we observe the average daily volume (MWh) of Small BMUs in the BM has increased from 866MWh to 1430MWh (65% increase). The average number of daily instructions has increased from 178 to 287 (61% increase).



OBP Roadmap – Upcoming Delivery FY 25/26

#BPJUNE25

PI 15 (Jan 25 - Apr 25)

OBP Capabilities:

- 1. Constraint Management
- 2. Manual instructions

OBP Enablers:

- 1. Interface to Ancillary Settlement for NBM
- 2. Non-BM APIs

PI 17 (Jul 25 - Oct 25)

OBP Capabilities:

- 1. BM & Non-BM Slow Reserve
- 2. Move Response (DC/DM/DR)
- 3. Move MW Dispatch
- 4. National Optimiser
- 5. Pumped Storage BOAs
- 6. Optimisation within a Constraint

OBP Enablers:

- 1. OBP becomes Operationally Critical
- 2. Ready to decommission ASDP



At our November 2024 Balancing Programme Event we explored OBP delivery journeys for FY25/26 activity, detailing benefits & impact – catch up on the session **here**.

PI 19 (Jan 26 - Apr 26)

Capabilities:

- 1. Interface to NCMS for constraints
- 2. Response and Inertia











Retire ASDP, VERGIL & CLOGS

PI 16 (Apr 25 - Jul 25)

OBP Capabilities:

- 1. Non-BM Instruction Types
- 2. Non-BM Quick Reserve
- 3. Bulk Dispatch Wind BMUs (rule based)

PI 18 (Oct 25 - Jan26)

OBP Capabilities:

- 1. Constraints Pathfinder
- 2. Stability Pathfinder
- 3. Manage Sync/De-sync

OBP Enablers:

- 1. EDT/EDL mastered from OBP
- 2. PEF Integration

Key:

- Complete
- Moved
- **PI:** Programme Increment

Abbreviations: DC: Dynamic Containment DM:
Dynamic Moderation DR: Dynamic Regulation
BOA: Bid Offer Acceptance DX: Dynamic Response
VERGIL: Versatile Graphical Instruction Logger
NCMS: Network Control Management System EDL:
Electronic Dispatch & Logging EDT: Electronic Data
Transfer ASDP: Ancillary Services Dispatch Platform
CLOGS: Contingency Logging System, API:
Application programming interface, NBM: Non-BMU,
BMU: Balancing Mechanism Unit

Please note – GC0166 implementation date is dependent on the outcome of the Grid Code Modification process



Roadmap Changes



In this period, we have continued to **prioritise the implementation of the new NBM Quick Reserve service**.



Our implementation of NBM QR was started before the completion of industry consultation and **some changes have had to be accommodated** for example, "crossovers" between service periods. In addition, we have built a new highly secure internet gateway due to enhanced NESO security requirements.

Due to this prioritisation there have been two moves on the roadmap:



- The National Dispatch Optimiser is now running in test but has not been promoted to production. It is our intention to do this in the next quarter (this is the definition of 'Done').
- The implementation of Pumped Storage is at a stage where control engineers will be able to observe the state of the unit but there is continuing work to send instructions that change these states. This should also be promoted in the next quarter.



Major Milestones and Expected Impacts



Delivered **automated instruction creation** and
send allowing use of smaller
flexible assets



Implemented **new optimisers**in the battery and small BMU
zones reducing time for
control engineers to make
economic choice



Major increase in the number of instructions sent to batteries and small BMUs



Enhanced support for constraint management improving balancing costs



Implementation of Market Services - BM Balancing Reserve and Quick Reserve



PI16 – implement NBM version of **Quick Reserve** and provide **new industry APIs** supporting customers



PII7 – Provide optimisation tools to solve a constraint reducing balancing costs and ensuring units are not overly restricted



PII7 – new national optimiser with better wind modelling reducing balancing costs



P117 - implement BM and NBM new Slow Reserve product delivering consumer benefits and new opportunities for flexible assets



PI17 - deliver a 2nd Data Centre providing enhanced resilience to OBP and reducing suboptimal market operation during downtime



PII7 - combine management of BMU and NBM response on OBP reducing balancing costs through joint monitoring



PII7 - deliver new real-time predictors to the control room improving dispatch decisions



PI18 - improve dispatch of Wind by interfacing to new forecasting tools and choosing best profiles



P118 - implement Grid Code change GC0166 for batteries improving scheduling decisions

OBP Draft Roadmap FY 26/27

PI 20 (Apr 26 - Jul 26) PI 22 (Oct 26 – Jan 27) #BPJUNE25 **OBP Capabilities: OBP Capabilities:** 1. Reserve (up/down) margins 1. Replace Zones with 2. Provide Data to Elexon Responsibility Groups (SAA/BMRA) **Retire BM** PI 23 (Jan 27 – Apr 27) PI 21 (Jul 26 - Oct 26) **OBP Capabilities OBP Capabilities:** 1. Co-optimisation near real-time 1. Optimisation in Scheduling timescales 2. Pathfinder integration 2. Enhanced interconnector Management

In 2023 we consulted with Industry

on our future roadmap – this was the position we agreed for FY26/27 – this will be reviewed within our Beyond 2025 workstream

FY26/27 - What does it Mean?

OBP Roadmap	Explanation
Reserve (Up/Down) Margins	Implements functionality that currently exists in SPICE. Future reserve levels are monitored using graphical screens that allow control engineers to manually perform "what-if" scenarios
Provide Data to Elexon	Move this functionality from SPICE to OBP
Optimisation in Scheduling timescales	Builds on "Reserve (Up/Down) Margins" by providing an optimisation tool to manage future reserve levels in scheduling timescales
Enhanced interconnector management	Provides decision support tools that predict changes in interconnector flows
Replace Zones with Responsibility Groups	Move away from current zone structure to responsibility groups that will allow dynamic allocation of work to desks based on workload
Co-optimisation near real-time	Adds reserve and other response services to NDO closer to real-time
Pathfinder integration	Adds pathfinder contracts into decision making tools



Real-Time Predictor (RTP)



Sumit Gumber



Real-Time Predictor (RTP)







What is RTP?

- A new modern & modular capability on OBP with four dedicated microservices
- Delivers minute-by-minute national demand predictions and outturns
- Introduces flexible, scalable and advanced algorithms with realtime data to improve dispatch advice
- Future-ready to incorporate new data & machine learning

What does RTP replace?

Our current demand predictor algorithm:

- Designed for a power generation landscape without embedded generation and renewables.
- Uses a complex, inflexible algorithm.


A new demand predictor is essential to ensure scalability and adaptability.

Benefits of RTP?

- To deliver consumer value (~£43m p.a.) through improved accuracy, process and user efficiency.
- Streamlined processes reduce repetitive manual data input and calculation efforts, leading to increased operational efficiency, and allowing more focus on strategic decisions to support dispatch improvements.


Real-Time Predictor Roadmap

What have we delivered & what is coming next?



#BPJUNE25

Real-Time Predictor Value Stream



Abbreviations:

- NBE: National Balancing Engineer
- **ZBE:** Zonal Balancing Engineer
- OSM: Operational Strategy Manager



Real-Time Predictions Journey

Live Metering

Real-Time predictions

Improved Situational Awareness Improved
Prediction for
National
Dispatch
Optimiser (NDO)

Consumer Value

NOW: Real-time operational metering (every 10s) from integrated energy management systems (IEMS)

FUTURE: Frequency Data every second

NOW: Two Algorithms trained on live metering data

FUTURE: Three Algorithms, re-trained regularly for new features and new data

NOW: Real-time predictor dashboard using OBP design system

FUTURE: Enhanced user experience with an adaptive insights dashboard featuring real-time performance metrics for each algorithm


NOW: Parallel run with current demand predictor to validate the new algorithms

FUTURE: User will be able to select best-performing algorithm for NDO

Real-Time Prediction improvements and enhanced situation awareness are expected to improve dispatch advice and decisions, potentially delivering an estimated £43 million per annum in savings on balancing costs



Digital Enabler Update




Nisha Bhamidimarri




#BPJUNE25

EDT / EDL Transition



Market Participant Journey – Balancing Mechanism Unit



#BPJUNE25

Impact on Software Vendors & Market Participants

EDT Changes:

- A new Fully Qualified Domain Name (FQDN)
- A different DNS server
- New IP addresses to be whitelisted
- A new security protocol for file transfer FTPS; will no longer support FTP
- Updated credentials for login to new system

EDL Changes:

- Connection established from a different IP address compared to BM
- Same pool of IP addresses as EDT may be a different IP address
- Change in pattern of outage

Guidance Document & Webinar:


- Details on transition phases
- Impact on Software Vendors and Market Participants
- Overview of testing Requirements





EDT/EDL Transition Update

Where are we?



- Network design shaped
- Delivery work in progress
- Engaged with software providers & market participants re: readiness testing for the transition - We now have EDT / EDL contact details for just over 80% of BMUs.

Wider Access API (WAAPI)


WAAPI providers will **not be migrated** however the system will be repointed to connect to OBP.

There will be a short outage to repoint the network connectivity. This will be towards the end of the transition.

What next?

- Further communication & engagement
 - Follow-up with organisations we are yet to hear from re: EDT/EDL contact details (Jun Jul 25)
 - Drop-in sessions / meetings with technical teams for MPs & SPs re: testing & transition (Jul Aug 25)
- Internal pilot and Shadowing between BM & OBP by Jul 25
- Market Participant Environment readiness by Aug 25
- Market Participant & Software Supplier testing (Aug Oct 25) more details on the next slide!

Type of Testing with NESO



Managed Service Provider

- Software testing (Type Testing inc. behavioural test)
- Connectivity Testing (NAT)
- E2E Business Process Testing for each BMU (BPIT)

Market Participant

BMU Data inc. behavioural test

All tests for each hosting provider for select participants

Software Service Provider

Software Testing (Type testing inc. behavioural test)

Market Participant

- Connectivity Testing (NAT)
- E2E Business Process Testing for each BMU(BPIT)
- BMU Data inc. behavioural test

Type Test for each software NAT and BPIT for each provider


Market Participant


- Software Testing (Type Testing inc. behavioural test)
- Connectivity Testing (NAT)
- E2E Business Process Testing for each BMU (BPIT)

All tests for each provider

#BPJUNE25

EDT/EDL plan on a page





EDT/EDL Transition

Start of Transition

BM Release to start transition
Planned Outage to market

Phased Approach

Each week we will transition TA & CP in tranches

It will be Tuesday and Thursday

There will be a short outage for the TA & CP doing the transition

Transition Complete

All TA & CPs transitioned from BM to OBP for EDL/EDT communications.

OBP is designed and operated as a continuously available system therefore participants will benefit from reduced planned outages of EDT/EDL

Transition to take place within **6-week window between October '25 and December '25** to avoid registration delays & ensure continuity of operations.

New EDT/EDL connections or new BMUs will not be able to join the production systems during this period.

NBM Dynamic Response & Slow Reserve Webinar

Date: 31.07.25

Time: 11:00 – 12:30

Location: Microsoft Teams

Sign-up Link: <u>Technology Stakeholder Focus Group</u>

Previous sessions covered the general NBM migration but were focused on NBM Quick Reserve – you can watch the session here access the slide content here.

This session will cover NBM Dynamic Response migration, and the new NBM Slow Reserve service – including timelines.



Scan me or use the link above to sign-up

NBM & OBP - Current Status

- Quick Reserve Ongoing tracking for July Go Live.
- Slow Reserve The EBR Article 18 industry consultation for Slow Reserve is currently live. NBM Slow Reserve is progressing in OBP with a target for September 2025 readiness.
- Dynamic Response Building to migrate from separate BM and ASDP systems onto a single OBP platform.


Integration and Migration to OBP

- NBM API v4 has been updated for NESO branding, the new Reserve services, and applies for NBM Quick Reserve, Slow Reserve and Dynamic Response.
- Integration will be via the new NESO data centre





A Recent History of the Platform for Energy Forecasting (PEF)





PEF to Deliver More During BP3 (FY25/26)



A focus on
Reactive power
forecasting
supporting
processes such as
outage planning

- + Improve data for outage planning
- + Reducing balancing actions



Redevelopment of legacy Demand Forecasting Tool

- + Reducing manual activity
- + Better visualisation
- + Reducing human error



Replacement or removal of legacy End-User Developed applications with Azure tools

- + Eliminate reliance on unsupported processes
- + Integration with PEF platform and data



Enhanced control room situational awareness

+ Improved visualisations for better informed decisions



PowerBl and Azure reporting & analytic tools to support future improvements

- + Efficient analysis of forecasts and tools
- + Identifying future improvements through data



Incorporating additional datasets including market and consumer data

+ Increasing the accuracy by incorporating additional data points



Platform for Energy Forecasting (PEF) Roadmap

#BPJUNE25

Q1 FY 25/26 (Apr 25-Jun 25)

Key Capabilities:

- Visuals and tools for the control room²
- Solar BMU model and visualisations ¹
- Improved embedded Solar forecasts
- Integrate Solar Nowcasting ¹
- Renewable forecast control room situational awareness

Key Enablers:

- Renewable generation forecasts decoupled from EFS ²
- GSP model audit 1
- Offline Prototype Demand Forecasting capability

Q3 FY 25/26 (Oct 25-Dec 25)

Key Capabilities:

- Azure produces long term forecasts (demand) ²
- Demand forecasting control room situational awareness

Key Enablers:

- Integration with Network Access Planning tools for improved studies ²
- **MVP Reactive Power Forecasts**







Continuous model improvement





Q4 FY 24/25 (Jan 25-Mar 25)

Key Capabilities:

- ✓ Migration of Solar and GSP ² products onto the new platform
- ✓ Migration of an enhanced National Demand model onto the new platform. ²

Key Enablers:

✓ MVP Solar BMU model
¹

Q2 FY 25/26 (Jul 25-Sep 25)

Key Capabilities:

- Forecasting tools ²
- Regional demand forecasts shared with Elexon as part of Electricity System Restoration Standards (ESRS)
- MVP Demand Forecasting

Kev Enablers:

PEF migrated to NESO Azure tenancy

Q4 FY 25/26 (Jan 26-March 26)

Key Capabilities:

- Advanced Analytics data integration ²
- Improved accuracy for Reactive power forecasting
- Redevelopment of Demand Forecasting Tools completed
- Replacement or removal of legacy End-User Developed applications (EUDAs) with Azure tools
- Enhanced control room situational awareness
- · PowerBI and Azure reporting and analytic tools to support future improvements
- · Incorporating additional datasets including market and consumer data


Kev Enablers:

• EFS system retirement strategy ²

- Delivered under "Continuous model improvement",
- ² Work enabling EFS retirement,
- **Bold** New BP3
- Complete

Our Decommissioning Progress Increases Data Quality

Bypassing legacy tools from the current process, instead sharing data directly from PEF, improving the quality consumed via Data Portal





Is there specific forecast data on data portal where an increase in frequency & granularity would be a game changer?


Scan this QR code to participate on Slido or search for Slido online and enter #BPJUNE25






Development of NESO Forecasting Strategy & PEF Delivery Plan

- Two interactive stakeholder sessions held during May and June 2025
- Feedback on Forecasting needs and the strategy required beyond 2025







#BPJUNE25 **Public** Improving the Management of Constraints with OBP Manos Loukarakis, Optimisation Manager

Ayumu Suzuki, Product Manager









June 2023 (online)

Initial kick-off / group scopeBulk Dispatch intro



February 2024 (online)

- BDO details (costs)
- Fast Dispatch using the BDO



November 2024 (BP engagement event)

- National Dispatch intro
- Intro to GC0166 parameters, group constraints & wind

Today's session (BP engagement event)

- Network to group constraints
- Constraint management overviewConstraint management OBP
 - Pathfinders



















November 2023 (BP engagement event)

- Control processes structure
 - Bulk Dispatch optimiser (BDO) details



June 2024 (BP engagement event)

- Fast Dispatch demo
- Instruction algorithm



June 2025 (online)

- National Dispatch details
 - Production examples



NESO's Strategic Approach to Constraint Management

Legend

— IN PROGRESS
— EXISTING

TOPIC FOR TODAY

Short-term (now – 2027)

Medium-term (2028-2030)

Long-term solutions (2030+)

Solutions

Market Technical

Work on **enabling access to our markets** for demand-side flexibility

CCP outcome: continue to develop Demand for Constraints

CCP outcome: Focus on existing short-term CMM for non-BMUs (e.g., locational/bidirectional DFS)

Megawatt Dispatch enabling flexible Dx connections

System changes through OBP to better manage/optimise the use of assets behind a constraint

Continue with CMIS expansion, 300MW derogation, operational metering review

Develop our battery storage strategy, inc. reducing skip rates

Outage optimisation, including Transmission Acceleration

CCP outcome: Investigate technical options relating to Intertrip

CCP outcome: Boundary flow smoothing innovation project

distortion of support mechanisms from bids In BM to reduce consumer costs

Other Solutions

CMP 440 would reinstate locational signal for strategic demand, incentivising them to site in constrained areas

Clear route to market for anything unable to access our core markets

BM improvements to allow more flexibility assets to participate in the BM Regional Development Programmes

Reformed connections process prioritising assets which help with operability

SSEP and CSNP to provide strategic direction for system infrastructure and needs

Wholesale market reform to reduce the volume and costs of constraints

Network build-out to connect more remote generation with demand Public #BPJUNE25

OBP Roadmap – Upcoming Delivery FY 25/26



Catch-up on our June 2025
Optimisation Stakeholder Focus
Group here for more information
on the National Optimiser
deliverable in P117

PI 15 (Jan 25 - Apr 25)

OBP Capabilities:

- 1. Constraint Management
- 2. Manual instructions

OBP Enablers:

- 1. Interface to Ancillary Settlement for NBM
- 2. Non-BM APIs

PI 17 (Jul 25 - Oct 25)

OBP Capabilities:

- 1. BM & Non-BM Slow Reserve
- 2. Move Response (DC/DM/DR)
- 3. Move MW Dispatch
- 4. National Optimiser
- 5. Pumped Storage BOAs
- 6. Optimisation within a Constraint

OBP Enablers:

- 1. OBP becomes Operationally Critical
- 2. Ready to dedommission ASDP

PI 19 (Jan 26 - Apr 26)

Capabilities:

- 1. Interface to NCMS for constraints
- 2. Response and Inertia









Retire ASDP, VERGIL & CLOGS

PI 16 (Apr 25 - Jul 25)

OBP Capabilities:

- 1. Non-BM Instruction Types
- 2. Non-BM Quick Reserve
- 3. Bulk Dispatch Wind BMUs (rule based)

PI 18 (Oct 25 - Jan26)

OBP Capabilities:

- 1. Constraints Pathfinder
- 2. Stability Pathfinder
- 3. Manage Sync/De-sync

OBP Enablers:

- . EDT/EDL mastered from OBP
- 2. PEF Integration

- Complete
- Moved

Key:

- PI: Programme Increment
- · Topics in this session

Abbreviations: DC: Dynamic Containment DM:
Dynamic Moderation DR: Dynamic Regulation BOA:
Bid Offer Acceptance DX: Dynamic Response VERGIL:
Versatile Graphical Instruction Logger NCMS: Network
Control Management System EDL: Electronic Dispatch &
Logging EDT: Electronic Data Transfer ASDP: Ancillary
Services Dispatch Platform CLOGS: Contingency Logging
System, API: Application programming interface, NBM:
Non-BMU, BMU: Balancing Mechanism Unit

Please note – GC0166 implementation date is dependent on the outcome of the Grid Code Modification process Public #BPJUNE25

About Group Constraints

(1) Includes consideration of

... thermal network limits

... voltage stability

... transient stability

Constraint

Group:: A part of the network, a collection of nodes and associated BMUs

Transfer:: Total power flow out across all boundary circuits in the constraint group

Limit: The maximum/minimum transfer allowed

Group demand:: The sum of demand across all nodes / Grid Supply Points (GSPs) included in the group


(2) The limit does not necessarily match technical characteristics of any of the underlying network components – it is the total transfer observed when the network is sufficiently loaded for something to "break"

Group Constraints: a simplified model for network constraints (group generation minus demand should be within the transfer limits)



Complexities Around Group Constraints

(1) Constraint limits are conditional on underlying system state and closely coupled together – e.g., an import limit in one group can be an export limit for another



(2) Units can belong to more than one group constraint – this can complicate the solution

Constraints involve multiple processes


- derivation methodology
- o resolving over different time-frames
- interactions between derivation and resolution processes

... and improvements may be possible across any of the above







How Constraints Work - Scheduling




How Constraints Work – Dispatch



How Constraints Work - Instructions



Constraint Management on OBP




An Improved Restrictions Logic (ISSUE#1)

(ROADMAP: Constraint management, Jan 25 - Apr 25)

(1) 15min intervals are defined (to strike a balance between volume of generated restrictions and accuracy of analysis)

(2) Units within a constraint are selected and ranked according to price

(3) Those with total cumulative Bid Offer Data (BOD) MW below the margin are freely re-dispatched



вми	£/MWh	MW	Σ(MW) /
#5	170	10	50
#4	140	10	40
# 3	125	10	30 /
#2	120	10	20
#1	100	10	10

(4) The ranking is based on the lowest priced BOD for the unit at 15min intervals – manual intervention on restrictions may be occasionally needed


(5) Unit characteristics are not factored in – an unrestricted unit might not have been appropriate to use anyway due to e.g. its minimum up/down times

This initial approach

... enables getting closer to limits, ... reduces workload for control room engineers, allowing for more time to identify best possible solution for balancing.

Resolving a Constraint (ISSUE#2)

(ROADMAP: Optimisation within a constraint, Jul 25 - Oct 25)




(1) How do we dispatch at least cost, to resolve a constraint?

This is about applying target/fast dispatch (FD/TD) for a collection of units within a constraint


(2) KEY CHALLENGES

- o Problem scale & performance
- Solving for wind
- Solving for large BMUs
- Solving for pumped storage

A. Set requirement against constraint limit/margin







D. Process to dispatch according to area of responsibility

Enabling an automated approach can be expected to:


... reduce costs by utilising more effectively SMALL/BATTERY BMUs for resolving constraints ... while handling more complex unit characteristics, ... and reduce control room workload

Abbreviations:

- FD: Fast Dispatch
- TD: Target Dispatch

NCMS Interactions

(ROADMAP: Interface to NCMS for constraints, Jan 26 - Apr 26)




NCMS (Network Control Management System): A new platform for network analysis over time, providing improvements upon our current systems.

Upcoming plans

- ...1 Initially establish data exchange
- ..2 refine process around data exchange
- ..3 improve upon constraints modelling (e.g., using power flow sensitivities)

This integration will leverage capabilities on these new platforms to enable **further automation and dispatch closer to limits.**

In summary...



Context: Network Services (Pathfinder) Schemes

	Constraints	Stability	Voltage
Helps provide	Arming for intertrip, to manage constraints	Inertia and short-circuit level	Reactive power, to manage grid voltage
Existing contracts	Since 2022: B6 (Scotland) EC5 Interim (East Anglia)	Since 2021: Phases 1, 2 & 3	Since 2022: Voltage Pennines Voltage Mersey
New contracts	EC5 Enduring (East Anglia, go-live Jul 26)	Y-1 (go-live Oct 25)	Voltage 2026 (first unit go-live Oct 25)



Benefits: Network Services schemes have delivered approximately £324m in savings across BP2 (Apr 23 – Mar 25); for further details click <u>here</u>.



Future: New contracts in pipeline to enable economical & secure operations, and additional market opportunities.



taken

Enabling Network Services in OBP

(OBP ROADMAP: Constraints & Stability Pathfinder, Oct 25 - Jan26)

Deliverable includes the transition of existing functionality from BM systems to OBP, and additional enhancements.

Constraint limit for National Contracts Decision Making Dispatch Optimiser (NDO) Low volume, simple payment Independent decision Single fixed MW AS-IS making for each problem structure Stab. Y-1 & Constraint New payment structure TO-BE (Stability Y-1) Anticipated improvements in (Oct 25 – Jan 26 contract use Addition of new 'utilisation fee' In OBP) Awareness to support - previously only availability fee economical decision making New tools to support new Dynamic, depending on High volume, new contracts contracts, with holistic network services actions

approach

ASPIRATIONAL

Constraint Management Roadmap

The Balancing Programme will tackle the problem of constraints in phases:



Constraint Management, Jan 25 – Apr 25 (delivered): Moving the process from BM systems to OBP, whilst improving it. Enables management closer to limits and reduce workload for control room engineers.



National Optimisation, Jul 25 – Oct 25: Dispatch advice including constraints in OBP; catch-up on June Optimisation Stakeholder Focus Group slide pack here and recording here.



Optimisation within a Constraint, Jul 25 – Oct 25: Using an optimiser to move units inside a constraint. Reduces costs by utilising small/battery BMUs more effectively and reduces control room workload.



Network Services (Pathfinders), **Oct 25 – Jan 26:** Implement network services schemes to enable economical and secure operations.



Interface to new real-time transmission analysis systems (Network Control Management System - NCMS), Jan 26 – Apr 26: OBP to ingest live updates from "look ahead" facilities from online analysis tools.

Public #BPJUNE2

Innovation Projects & the Reveal Trials Platform

Ronan Jamieson, Operational Manager Tom Watts, Senior Energy Balancing Specialist




The Volta Programme

The Volta programme is focused on utilising machine learning (ML) and Al in the control room to:

Optimise forecasting & dispatch decisions, by leveraging cutting edge digital techniques

The aim is ultimately to reduce balancing mechanism costs & help achieve a net zero electricity grid.









Probabilistic

Further information on Volta Projects can be found <u>here</u>. Get involved with NESO innovation <u>here</u>.



Public #BPJUNE25 The VOLTA Roadmap Enhanced or Value and automated feasibility operator analyses for decision input data support models Adaptive machine learning models have Automated been built performance monitoring Cross-cutting Qualitative Integrated scenarios to deal Benchmarking optimisation of with stochastic and a wider energy, nature of transmission impact balancing inputs and reserves assessment are in place New optimisers have been built Supplier **Project** Full situational Grand Optimiser (GO) TBC awareness Optimiser Value and Feasibility Analysis (VFA) MESH AI design philosophy Qualitative Benchmarking **AFRY** Real Time Predictions (RPT-i) **IBM & Oxford**

Faculty Al

Smiths Inst

Advanced Scheduling Advisor (ASA)


Validation and Verification



The Balancing Programme and VOLTA

Approach:

- Initial AI/ML exploration
- Create Proof of Concepts (PoC) to understand impacts, challenges, data requirements
- Progress from PoC into OBP




Current inflight projects

- ASA: Advanced
 Scheduler Advisor
- VFA: Value and Feasibility Analysis
- GO: Grand Optimiser
- RTP-i: Real Time
 Predictions innovation

Key Outcomes:


- Early validation of AI/ML for system optimisation.
- Demonstrated Al-driven optimisation capability in operations.
- More economic & secure national dispatch via intelligent optimisers.

The Overall Vision for Volta - Recap





VFA: Value and Feasibility Analysis Project (In-flight)




Details	
Description	Project to assess the effectiveness, practicality, and benefits of implementing adaptive data models and deliver a POC
Progress	Design phased finished , developing POC
Expected End Date	August 2025

Abbreviations

- RT SCED: Real-Time Security Constraint Economic Dispatch
- SCED: Security Constraint Economic Dispatch



ASA: Advanced Scheduling Advisor (In-flight)




Details	
Description	Delivering a Proof-of- Concept tool for Al based margin analysis
Progress	Discovery finished , design phase
Expected End Date	December 2025

Abbreviations


- RT SCED: Real-Time Security Constraint Economic Dispatch
- SCED: Security Constraint Economic Dispatch



RTP-i: Real Time Prediction (In-flight)








Details	
Description	Improving in- flight RTP project with next generation algorithms
Progress	Second demo delivered, finalising the method
Expected End Date	January 2026



GO: Grand Optimiser (Discovery)




Details	
Description	Design the end to end of optimisation process for scheduling & dispatching
Progress	Contracting in progress
Expected Start Date	July 2025

Abbreviations

- RT SCED: Real-Time Security Constraint Economic Dispatch
- SCED: Security Constraint Economic Dispatch



Future Target Areas - Adaptative Scenario Building




Details	
Description	Moving from a single set of inputs approach to multiple probabilistic inputs leading to a range of potential solutions
Progress	N/A
Expected Start Date	2026

Abbreviations

- RT SCED: Real-Time Security Constraint Economic Dispatch
- **SCED:** Security Constraint Economic Dispatch



Future Target Areas - Reporting, Transparency & Monitoring



Details	
Description	Providing AI support across the end-to-end balancing process, that will assist in improving transparency, data sharing and market monitoring
Progress	N/A
Expected Start Date	2026


- RT SCED: Real-Time Security Constraint Economic Dispatch
- **SCED:** Security Constraint Economic Dispatch





Tom Watts

Senior Energy Balancing Specialist







The Challenges



How to keep pace with technology developments across the energy landscape, to enable optimised system operation & market management.



Limited opportunities to trial new services & capabilities due to **lengthy approval processes** required for testing in secure environments.



Testing new ideas whilst operating core operational infrastructure in secure environments.





What is Reveal?



It is an Azure-hosted, internet-facing test environment that replicates balancing capabilities, including signalling functionality (EDL/EDT)



It is fully ringfenced and separate from Critical National Infrastructure



REVEAL will provide the tools to make trialling of new capabilities easier and faster for NESO and the wider industry





Where Does Reveal Sit?


NESO / Reveal




OBP-aligned user interfaces

Digital Ringfence outside of CNI

Secure Data Transfer



Customer Assets & Technologies








History of Reveal

Extensive market engagement across NESO and Industry



Validation REVEAL was providing solutions for business needs

Solution Scoping


easibility
Study

Integrated POC with Kraken to prove EDL, EDT and MQTT capability

Proof of

Concept

We are requesting your input into our Design work in June '25



Production

Design



Build and release a production version of the REVEAL Live Trial Environment, run a trial, and deliver further iterations to support future capability validation






Our Vision

'A one-stop shop for NESO trial activities, driving innovation and operational excellence for NESO and industry'





Continuous Delivery Against Our Vision







Signalling & Communications **Trials**

A signalling or communications trial can be executed to validate different communication paths, data standards, or new protocols between the Control Room and Service Providers / Unit Operators.

TIDE Visibility

(Transformation to **Integrate Distributed** Energy)

Low Earth Orbit Satellites

```
xspace){var i=s.strings
      _ngs.length?(s.arrayPos=0,
    .ete", value: function(){this.
  ,this.pause.curString=t,this.
 g=t;var e=t?"infinite":0;this.
gsIfNeeded", value: function(){th
this:return this.el.className+=
length>t.arrayPos?t.typewrite(t
attr?this.el.setAttribute(this.
},{key:"bindFocusEvents",value:
 {t.el.value&@0!==t.el.value.le
  this.cursor.className="typed-
    e["default"]=a,t.exports=e['
      "Cannot call a class as a
          (war n in s)Object.prot
```

Tools Trials

A tools trial can be implemented to enable the development and testing of new technologies, products, and market services.

GCC0166+ State of Charge

Onboarding Sandbox







#BPJUNE25

We Want to Hear From You...



Q&A

Q&A to cover any questions about Reveal and the capabilities





Tell us your ideas

Capture your problem statements and potential solutions on the forms provided






Post them in the 'Cool Stuff' box





Thank you for your input!

- Your ideas will be fed into the design of REVEAL
- Make sure you sign up to the distribution list for updates



Public #BPJUNE25 A Day in the Life of a Control Room Engineer Alex Carter, Control Room Operational Manager

Managing the System



Network Access Planning (NAP) Team

Carryout network analysis using the offline transmission analysis tool (OLTA) in a time frame from 8+ year ahead to 24 hour ahead – produce outage plan.



Trading Team

Energy Market, sufficient margins



Energy Forecasting Team

National Demand Solar, wind, GSP demand

Systems:

- Energy Forecasting System (EFS)
- Platform for Energy Forecasting (PEF)

Handover of outage notes

Handover of Transmission System Operating Plan (TSOP)



Strategy Team

Plan for security of the system based on Security & Quality of Supply Standard (SQSS), from 24 hours to 4 hours ahead of time.

Scheduling, System Operating Plan, Margin Analysis, Data Processing and Profiling

System: Scheduling Platform in Controlled Environment (SPICE)

Handover of System Operating Plan (SOP)

Real Time Operation



Transmission Team

 Monitoring & managing System flows, outages, faults, and voltages following SQSS to ensure Security of the System.



Energy Team

- Monitoring & managing System Frequency following SQSS, and Transmission Constraints.
- Demand Prediction, Dispatch Advice, Energy Balancing i.e., Issuing Instructions (BM & Non-BM), Ancillary Service Management.

Systems:

- System Operation in Real-Time (SORT)
- Versatile Graphical Instruction Logger (VERGIL)
- Contingency Logging System (CLOGS)
- Open Balancing Platform (OBP)
- Ancillary Services Dispatch Platform (ASDP)

Control Room Teams

Power System Manager (PSM)

Brendan Lyons 🏝

Strategy Team

- Operational Strategy Manager (OSM)
- Control Technical Assistant (CTA)
- Assistant National Scheduling Engineer (aNSE)
- National Scheduling Engineer (NSE)
- Transmission Analysis Engineer-Scotland (TAEs)
- Transmission Analysis Engineer-E&W (TAEe&w)
- Day Ahead Congestion Forecasting Engineer (DACF)

Energy Team



Alex Carter


- Operational Energy Manager (OEM)
- National Balancing Engineer (NBE)
- Assistant National Balancing Engineer South (aNBE)
- Assistant National Balancing Engineer North (aNBE)
- Assistant National Balancing Engineer – Battery (additional post added)

Transmission Team

- Transmission Security Manager (TSM)
- Transmission Security Engineer-Scotland North(TSESc-n)
- Transmission Security Engineer-Scotland South(TSESc-s)
- Assistant Transmission Security
 Engineer E&W North (aTSEe&wn)
- Transmission Security Engineer- E&W North(TSEe&wn)
- Transmission Security Engineer- E&W South(TSEe&ws)
- Assistant Transmission Security
 Engineer E&W South (aTSEe&ws)

Friday 14th March 2025 Morning Shift

From the perspective of the Energy Team



Spring Morning – Weather Forecast

Morning peak

Cold and frosty start in the southeast

Cloudy but chilly elsewhere, with showers from the North Sea, potentially heavy and falling as snow over hills. Bright spells between showers.

Milder later in the day with a shift in wind direction from northerly to south - southeasterly, bringing milder air from the continent.

Highs around 10°C

Up to 7GW PV forecast


Abbreviations:

• OSM: Operational Strategy Manager



#BPJUNE25

System Security



Abbreviations:

STOR: Short Term Operating Reserve DC: Dynamic Containment

DM: Dynamic Moderation **DR:** Dynamic Regulation

Balancing Reserve 450MW, additional 2853MW negative met by market


STOR requirement mainly met by contracts,

DC/DR/DM contracted, 167MW additionally

1883MW generation loss covered 1450MW demand loss covered



Reserve and Response Services



System Operating Plan Morning Peak (2A @ 09:15)

2A Final Plan @ 05:28

- 35.6 GW peak demand
- 3.0 GW wind
- 4.8 GW interconnector import
- <0.1 GW batteries (PN)
- 0 GW Small BMUs



Risk Management

- Demand uncertainty
- Cold morning could mean higher demand
- Clear skies could mean higher PV
- Therefore, flexible options



NESO Actions

- Connah's Quay 2 05:59-11:59 (0.3 GW)
- Interconnector trades (1.3 GW)
- Batteries (0.5 GW)
- Small BMUS (0.5 GW)
- Pumped Storage (1.2GW)
- Spalding Expansion, 20 minutes to full load (0.2 GW)


NESO Contingency Actions

- Small BMUs
- Additional CCGTs or advances from afternoon PNs
- Potentially more batteries depending on state of charge

Abbreviation: CCGT: Combined Cycle Gas Turbine

Friday 14th March 2025 Morning Shift

Approaching the morning peak



Towards forecast peak at 09:15

Demand starting to out turn below the forecast

Batteries, pumped storage and thermal units used to manage energy imbalance

Some wind being bid down to manage Mid Scotland constraint


Not all pumped storage identified in SOP instructed

Spalding Expansion not run

At 08:50 frequency near 50.1 Hz as demand continues to outturn lower than forecast



Frequency Behaviour



System Conditions Before the Event

Date and time	Friday, 14th March 2025 at 08:51:37		
National Demand	34.85GW		
System frequency	50.12Hz		
Inertia	276.4GVA.s		
Contracted Response Services	Dynamic Containment – Low (DC-L): Dynamic Regulation – Low (DR-L): Dynamic Moderation – Low (DM-L): Static Firm Frequency Response (sFFR): MFR: Primary (P): 56 MW Secondary (S): 71 MW High (H): 177 MW	1153MW 480MW 147MW 185MW	
Weather	3.05GW transmission-connected wind 832MW estimated embedded wind 4.12GW estimated embedded solar		



Event Overview

- At 08:51 hrs on 14th March 2025 a significant loss of infeed of around 1,877MW occurred due to the trip of three generating units.
- This event was well contained. The lowest frequency reached was 49.667Hz.
- Frequency returned above operational limits within 3min and to 50Hz in 12min.
- OBP 58 instructions, 843 MW
- SORT 12 instructions, 500 MW
- VERGIL 6 instructions 740 MW
- No demand or generation interrupted.
- This was the largest event since the August 2019 where ~1.9GW loss led to frequency falling to 48.8Hz and 1.1 million customers disconnected.
- Before the current Frequency Risk and Control Report (FRCR) policy, dynamic response products, and OBP were introduced.



Public

#BPJUNE25

Response Service Performance

- System behaved as expected during the event.
- Based on current available performance monitoring data, Dynamic Response Services, i.e. DC, DR and DM, responded to the event as expected containing frequency from deviating further.
- Total contracted LF volume at the time of the event was 1780 MW. The average performance score in the settlement period relevant to the event is above 90% indicating a good performance of dynamic services.




Service	Available volume (MW)	Contracted volume (MW)	Shortfall (MW)	Notes	
DC-L	1077	1153	78	Shortfall were due to declared unavailability and no data submission when analysing	
DM-L	128	147	19		
DR-L	480	480	0		
Total	1683	1780	97	, 5	



Public

#BPJUNE25

Instruction Volumes & Counts




OBP used to manage batteries throughout the shift

- Fast Dispatch for frequency control e.g., following the large loss
 - Target Dispatch for instructions 5-15 minutes ahead



Remainder of the Shift



- Demand continued to outturn below the forecast
- Suspected higher PV outturn than forecast
- Lower demand outturn, overall decaying demand and market position meant no replacement units were needed
- No more wind bids were needed after 10:11
- Tripped units returned at 12:00, 12:30 and 13:00








Market and Ancillary Services – Overview and Roadmap

To operate a safe and secure power system, NESO procure a suite of ancillary services through designated markets and via Bid Offer Acceptances (BOAs) in the Balancing Mechanism.



Balancing Services – Dynamic Response Current Service Design Status











Options assessment

Service design

Consultation

Go Live



Engagement





Static Response Reform



Locational procurement



30 Minute Service Window





Stacking Response/Reserve







Balancing Services - Instructible Dynamic Response

The draft Service Design was issued to industry in March 2025 Key considerations in the service design for instructible Dynamic Response:

Instructions and Performance Limits and Prices Capability curves stacking Monitoring Declare offerings for Determine maximum Instructions are Performance targets each service available response open-ended aggregated Commitments Adapt to other Splitting with day-Transparency data become firm at instructions, variable ahead response published baselines deadline

Following industry feedback in a number of areas, but particularly in terms of submission deadlines and the design of payments. We are looking to evolve the service design further - we hope to update industry again later in June.



Balancing Services – Locational procurement of Response and Reserve

Drivers for Locational Procurement

Constraints in the transmission network

Constraints in the distribution networks

Impact on stability / inertia

Locational Procurement Webinar

Wed, 9 Jul 2025 15:00 - 16:00 (UTC+00:00)

Provider Considerations

Minimise business process disruption

Unit Aggregation

Bidding and Dispatch Considerations

Partial unit acceptance

Fractional bids

Order and Pricing Considerations

Clearing price definition


Gaming risks



#BPJUNE25

Reserve Reform timeline

Quick Reserve - Phase 2 (QR 2) / Slow Reserve (SR) / Balancing Reserve (BR)



Balancing Services – Static Response Reform

Current Limitation

Proposed Development

Benefit

Lack of control of unit delivery

Limited visibility of unit output

Limited understanding of locality of units

Auction held at different time to other auctions

Forecasts used co-optimise service procurement

Bespoke, manual email process for bid submission

Flexible activation period/early cease instruction

Live operational metering feed

Align aggregation rules with Dx services

Co-optimised auction capability with Dx services

Align auction timing with other Dx services

Facilitate greater holding of Static response

Increased consumer value through true cooptimisation of services

Opportunities for providers to co-optimise and stack bids across NESO services





Beyond 2025: Roadmap Progress Update





Our Goal

A Strategic Roadmap for Future Balancing



Our Progress So Far

>250 Industry Stakeholders Engaged

>70 Capability Survey Responses

> 70 Balancing Programme Relationship Management Meetings

>60 Internal Interviews and Workshops

>100 Potential Capabilities Identified




Our Purpose Today

Sharing High-Level

Themes and Outcomes

#BPJUNE25

Building the Roadmap: Journey So Far



Key Developments:

- Market service enhancements integrated to balancing platform
- New inertia, voltage, fault level support sources integrated (OBP).

Key Outcomes:

- Greater engagement from wider participants, unlocking new flexibility.
- Enhanced grid resilience (stability, power quality, fault levels).



Whole System & Flex

Key Developments:

OBP scheduling & dispatch fully integrated (legacy systems retired)

Key Outcomes:

- Streamlined balancing system, greater flexibility, reduced operational complexity.
- Readiness for **future integration and** expansion.



Key Developments:

- Enhanced short-term constraint data integrated into OBP
- Initial AI exploration (Volta: scheduling, optimisation Proof of Concepts)

Key Outcomes:

- **Lower skip rates**, more precise, cost-effective real-time balancing & improved constraint management
- Early validation of AI for system optimisation.

Data & Transparency

Key Developments:

- Completion of core data systems integration within OBP, enabling increased interaction volume and enhanced flexibility in how data is accessed, shared, and consumed.
- Enhanced data & models on PEF

Key Outcomes:

- Improved transparency, interoperability, tailored
- **Lower balancing costs** with richer & more accurate modelling

Key Developments:

- OBP expands for diverse small-scale/demandside flexibility
- Markets enabled for stacked/sequential, intraday services

Key Outcomes:

- **Increased utilisation** of distributed flexibility.
- New market revenue opportunities, more efficient system balancing.



Key Developments:

Initial Primacy Rules integration into OBP

Key Outcomes:

- Improved TSO-DSO coordination and whole system decision-making.
- Improved optimisation accuracy, unlocking smaller-scale flexibility.

FY28 Expanding Flexibility & Coordination



Key Developments:

- OBP enables non-integer dispatch
- Volta AI optimisation progresses beyond PoC

Key Outcomes:

- Demonstrated Al-driven optimisation capability in operations.
- More precise & real-time balancing via improved forecasting and automated dispatch



O Data & Transparency

Key Developments:

- Enhanced price visibility across ancillary services
- Centralised operational data storage
- Improved DER visibility & enhanced renewable

Key Outcomes:

- More transparent pricing and robust audit processes.
- Greater data integrity for market monitoring.

Enhanced Dispatch

Key Developments:

- Operational data available to new Restoration **Decision Support Tool**
- Local procurement of response/reserve services enabled

Key Outcomes:

- Enhanced restoration decision-making, faster system recovery.
- Improved balancing efficiency, reduced reliance on costly national actions.



Key Developments:

- Advanced network modelling enhances control room decision-making
- TIDE project enhances availability/quality of DER data.

Key Outcomes:

- Improved operational decision quality from richer network insights.
- More accurate DER forecasts, supporting improved system planning.

FY29 Embedding Intelligence & **System Optimisation**

Key Developments:

- Al-enabled optimisers deployed in OBP
- Advanced network modelling (incl. DNO data) into OBP

Key Outcomes:

- More economic & secure national dispatch via intelligent optimisers.
- Reduced constraint costs, improved coordinated system optimisation.



O Data & Transparency

Key Developments:

Control room decision rationale capture standardised

Key Outcomes:

Improved accountability, knowledge sharing, & auditability.

Enhanced Dispatch

Key Developments:

- Optimised DC flow management capabilities (OBP)
- Full integration of TIDE project outcomes into OBP (DER/CER participation)

Key Outcomes:

- Enhanced DC network capacity utilisation & efficiency.
- Maximises value of distributed/consumer flexibility.



Whole System & Flex

Key Developments:

- OBP scaled for up to 10,000 BMUs
- Advanced AI models for forecasting distributed/consumer flex

Key Outcomes:

Full OBP scalability for market growth, future-proofs operations

FY30/31 Delivering a Scalable & **Future-Ready** System

Key Developments:

- Al-driven Control Room visualisation tools enhanced
- OBP optimisation engine upgraded (advanced solvers)

Key Outcomes:

- More intuitive grid insights for operators.
- Faster, effective decision-making in complex conditions.



O Data & Transparency

Key Developments:


- Full tracking for operator decision timelines (OBP)
- Advanced AI models improve consumer flex forecasting


Key Outcomes:

- Enhances transparency, accountability, & post-event review.
- Improved operational planning via reliable flex

Building the Roadmap: Next Steps












#BPJUNE25

2025 External Engagement Timeline



Balancing Programme **relationship management meetings** throughout 2025 & **external NESO newsletters 'Energising Progress'** with Balancing Programme content issued regularly, providing updates between online & in-person events.



Next Steps



We welcome your feedback & questions – please get in contact with us at box.balancingprogramme@neso.energy



Slides from today's session will be published on our website.



Subscribe to our new NESO newsletter 'Energising Progress' here - please select **Future** of Balancing Services inc. Balancing Programme to keep up to date.



Sign-up to our Stakeholder Focus Groups for Optimisation, Technology, & Forecasting - Balancing Programme Stakeholder Focus Groups.



If you are interested in a regular meeting with a representative from the Programme and would like more information, please get in contact using the email address above.



Balancing Programme September 2025 Webinar

Date: 16 September 2025

Time: 11:00am - 12:30pm

Location: Microsoft Teams

We will share the latest on our Balancing and Forecasting capabilities planned for delivery into the Control Room and provide an update on progress to shape our capabilities beyond 2025 using Industry input.

A more detailed agenda will be shared closer to the webinar

To sign up to the event, click <u>here</u> or scan the QR code below





