Netro an Geneletion Listensi is fart de de la composite el loge se indre de la composite del composite de la composite de la composite del composite de la composite del composite del composite della composi

Project Reference Number

NIA Project Annual		hat has developed new learning in the preceding relevant
	year.	

Jul 2023	NIA2_NGESO027		
Project Progress			
Project Title			
Carbon Intensity Modelling			
Project Reference Number			
NIA2_NGESO027			
Project Start Date	Project Duration		
January 2023	1 year and 0 months		
Nominated Project Contact(s)			
Samantha Williams (ESO)			

Scope

Date of Submission

This project for carbon intensity modelling will:

- Explore how to accurately model carbon output of carbon plant in different operational modes
- Use a combination of traditional statistical techniques and cutting-edge machine learning methods to increase accuracy beyond current peak efficiency assumption
- Build upon internal capability with external domain experts.
- If successful, provide recommendations for future development of carbon intensity tool into Carbon Intensity of Balancing Actions and Virtual Energy Systems (VES).

Objectives

- Identify key missing data items that will have the most impact on our understanding of the carbon intensity of gas/coal/biomass generation.
- Improve the carbon intensity modelling of CCGT/OCGT/Coal/Biomass plants in different states by creating models for when they are operating outside of peak efficiency, and by better understanding the relative efficiencies of BMUs where data is available.
- Develop a PoC tool to optimise the dispatch of the plants on the grid with respect to the carbon intensity of the energy produced (e.g. by generating a carbon merit order, providing recommendations for dispatch which factor in predicted upcoming BM requirements as well as peak / partial load efficiency of available BMUs, or other methods yet to be determined).

Success Criteria

The project will be deemed a success if:

- It delivers against objectives, timescales and budgets as defined in the proposal.
- WP1 models deliver higher accuracy when compared against actual gas usage (as provided by Major Power Producers (MPP) survey or the Gas System Operator if available) than the current fixed value being used.
- A PoC tool is developed for optimising dispatch based on carbon intensity as well as system requirements.

Performance Compared to the Original Project Aims, Objectives and Success Criteria

National Grid Electricity System Operator ("NGESO") has endeavoured to prepare the published report ("Report") in respect of Carbon Intensity Modelling, NIA2_NGESO027 ("Project") in a manner which is, as far as possible, objective, using information collected and compiled by NG and its Project partners ("Publishers"). Any intellectual property rights developed in the course of the Project and used in the Report shall be owned by the Publishers (as agreed between NG and the Project partners).

The Report provided is for information only and viewers of the Report should not place any reliance on any of the contents of this Report including (without limitation) any data, recommendations or conclusions and should take all appropriate steps to verify this information before acting upon it and rely on their own information. None of the Publishers nor its affiliated companies make any representations nor give any warranties or undertakings in relation to the content of the Report in relation to the quality, accuracy, completeness or fitness for purpose of such content. To the fullest extent permitted by law, the Publishers shall not be liable howsoever arising (including negligence) in respect of or in relation to any reliance on information contained in the Report

Copyright © National Grid Electricity System Operator 2023

Background information:

The carbon intensity of fossil fuel plants depends on how they are running, whether they are starting up from cold or operating at less than full capacity. Currently a single value is used in the overall calculation of the carbon intensity of the grid. With the rise of renewables, increasingly the fossil fuel plants no longer run at a steady state, which means this single value is increasing less accurate. In addition, the NGESO has no sight of what the impact of both carbon intensity and cost would be if the grid was optimised based on carbon intensity rather than cost.

This project will improve the understanding on modelling of the carbon emitted by power plants in their different states and then use that to explore the optimisation of the grid based on carbon intensity.

Currently, National Grid ESO publish half-hourly information on the carbon intensity of the GB electricity system. This data is important in tracking the progress towards de-carbonising the electricity system. Hartree has been partnered to improve the existing models for a couple of fossil fuel powered plants by refining the models that doesn't use a static value but more accurately reflects real world usage and emissions of these plants.

Problem statement:

The single value for the carbon intensity of each type of fossil fuel plant is increasingly inaccurate. This prevents the accurate understanding of the carbon impact of optimisation and balancing actions. In addition, the NGESO would like to understand what the impact on cost and carbon emissions would be of optimising the grid based on carbon intensity rather than cost.

Progress against stated project plan:

The project has built models of the carbon intensity of gas, coal and biomass plants using features generated from half hourly operation of the plants. These include when the plants were on, off and whether they were operating at constant power output or if they were going through a period of ramp up or ramp down of energy production. The length of time a plant had been off has been used to identify warm and cold starts from the data.

Data on the fuel used for groups of power plants on a monthly basis has been sourced and this is the target variable used for the modelling. This is then translated into a carbon intensity for the electricity generated by these groups of plants within a month and compared against the figures currently in use.

Having built these initial models the project is now preparing to start the second aspect, reviewing the impact from optimizing the grid based on carbon intensity rather than cost.

Required Modifications to the Planned Approach During the Course of the Project

No modifications to the planned deliverables, timelines, or cost are planned or required at this stage of the project.

Lessons Learnt for Future Projects

The key lesson learnt from the first half of this project is that the currently available data (monthly and grouped by power plants), limit the modelling techniques available for understanding the performance of the power plants. This would be improved by collecting this data at more regular intervals, for example daily or weekly, or for single plants.

Note: The following sections are only required for those projects which have been completed since 1st April 2013, or since the

previous Project Progress information was reported.

The Outcomes of the Project

The project is currently halfway through delivery. The initial work package, to build models improving on the carbon intensity of a power plant compared to the current single value, has built initial models for gas, coal and biomass, and compared them to the single values for carbon intensity currently used. These models show reasonable initial performance given the small amount of available data and are being refined to ensure best performance and to reduce the risk of overfitting. The models are built using features generated from the half hourly running of the power plants. Various iterations and combinations of the features are used as inputs, including considering interactions and nonlinear terms. Due to the low data volumes and a focus on explainability, the modelling approach being used is linear regression and only a small number of features are used in the final models to reduce the risk of overfitting.

The second work package around grid optimisation based on carbon intensity minimisation is due to start in July.

Data Access

Details on how network or consumption data arising in the course of NIA funded projects can be requested by interested parties, and the terms on which such data will be made available by National Grid can be found in our publicly available "Data sharing policy related to NIC/NIA projects" and www.nationalgrideso.com/innovation.

National Grid Electricity System Operator already publishes much of the data arising from our NIC/NIA/SIF projects on the Smarter Networks Portal (www.smarternetworks.org) and National Grid ESO Data Portal (data.nationalgrideso.com). You may wish to check these websites before making an application under this policy, in case the data which you are seeking has already been published.

Foreground IPR

The following outcomes are expected to be delivered by this project:

- Jupyter notebook or equivalent to build and test preferred models (expected 30 June 23)
- Report on models built and their performance (expected 30 June 23)
- Report analysing the methodology used to create the control mechanism and corresponding Jupyter notebook demonstrating the control method developed
- · Report providing overview of work completed, potential impact and limitations